

Docket No.: B1102.70022US00

(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Andrey Zarur Jury, et al.

Serial No.:

10/633,448

Confirmation No.:

4694

Filed:

August 1, 2003

For:

MICROREACTOR

Examiner:

D. A. Redding

Art Unit:

1744

1744

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail, in an envelope addressed to: MS Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated:

November 23,2005

RESPONSE TO ELECTION/RESTRICTION REQUIREMENT

MS Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

In response to the Election/Restriction Requirement dated May 23, 2005, the Applicants elect a reaction chamber having a volume less than 1 ml and at least one sensor (claims 94-103), with traverse. The traverseal is made on the grounds that it is believed that a single search and examination covering all claims would not place undue burden on the Examiner.

In addition, the Election/Restriction Requirement states that the application contains patentably distinct species of the claimed invention, but improperly breaks the species down by claims. It is noted that species of an invention are not properly divided by claims. See MPEP §806.04(e). Accordingly, withdrawal of the Election Requirement and/or issuance of a proper Election Requirement is respectfully requested.

Application No. 10/633448
Response to Election/Restriction Requirement

Docket No.: B1102.70022US00

If, for any reason, the Examiner is of the opinion that a telephone conversation would expedite prosecution, the Examiner is kindly invited to contact the undersigned at (617) 646.8000.

Dated: November 23, 2005

Respectfully submitted,

3y_____

Timothy J. Oyer

Registration No. 36,628

Tani Chen, Sc.D.

Registration No.: 52,728

WOLF, GREENFIELD & SACKS, P.C.

Federal Reserve Plaza 600 Atlantic Avenue

Boston, Massachusetts 02210-2206

(617) 646-8000